

DIGITAL ULTRASONIC CLEANER CATALOG

Web: www.cnultrasonic.com Email: sales@cnultrasonic.com Tel: +86 15361401998



Jakansonic Cleaner Company Limited

ULTRASONIC CLEANER - [DIGITAL SERIES](#)

[Digital ultrasonic cleaner](#) series is designed by Jakansonic cleaner. This new series also has the powerful function to help the customers do their cleaning job. This digital series includes 10 models, the tank size option is between 1.3L – 30L. It is with digital 1-30mins control timer and heater, stainless steel body and $\geq 6L$ drainage. This digital ultrasonic cleaner has a new built-in handle designed and this is more humanizing.



PS-10A(2L)



PS-30A(6L)



PS-60A(15L)



PS-70A(19L)



PS-100A(30L)

Specifications

| Modle | Ps-08a | Ps-10a | Ps-20a | Ps-30a | Ps-40a | Ps-50a | Ps-60a | Ps-70a | Ps-80a | Ps-100a |
|----------------|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Frequency | 42,000HZ | | | | | | | | | |
| Capacity | 1.3L | 2.0L | 3.0L | 6.0L | 10L | 14L | 15L | 20L | 22L | 30L |
| Material | Sus 304 stainless steel | | | | | | | | | |
| Power supply | AC 100-120V,50/60HZ AC 200-240V,50/60HZ | | | | | | | | | |
| Power | 60W | 80W | 120W | 180W | 240W | 300W | 360W | 420W | 480W | 600W |
| Timer | Digital timer, 1-30 mins | | | | | | | | | |
| Heater | 50W | 50W | 100W | 200W | 250W | 400W | 400W | 600W | 600W | 800W |
| Tank size (mm) | 150×140×65 | 150x140x100 | 240x135x100 | 300x150x150 | 300x240x150 | 300×240×200 | 330×300×150 | 330×300×200 | 500×300×150 | 500×300×200 |
| Unit size (mm) | 180×170×140 | 180x170x180 | 270x170x210 | 330x180x270 | 330x270x270 | 330×270×320 | 360×330×270 | 360×330×320 | 550×330×270 | 550×330×320 |

Packing

| Modle | Ps-08a | Ps-10a | Ps-20a | Ps-30a | Ps-40a | Ps-50a | Ps-60a | Ps-70a | Ps-80a | Ps-100a |
|------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| G.W. | 2.5kg | 3.0kg | 4.0kg | 6.0kg | 8.0kg | 9.0kg | 10.0kg | 11.0kg | 13.0kg | 15.0kg |
| N.W. | 1.5kg | 2.0kg | 3.0kg | 5.0kg | 7.0kg | 8.0kg | 9.0kg | 10.0kg | 12.0kg | 14.0kg |
| Packing size(mm) | 260×260×260 | 260×260×290 | 350×350×270 | 430x280x380 | 430x370x380 | 430×370×430 | 460×430×390 | 460×430×430 | 630×430×390 | 630×430×430 |

Shipment

| Modle | Ps-08a | Ps-10a | Ps-20a | Ps-30a | Ps-40a | Ps-50a | Ps-60a | Ps-70a | Ps-80a | Ps-100a |
|------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Quantity | 8pcs | 8pcs | 6pcs | 6pcs | 4pcs | 4pcs | 4pcs | 4pcs | 2pcs | 2pcs |
| Carton size (mm) | 540×540×600 | 540×540×650 | 790×380×690 | 860×460×820 | 760×460×780 | 760×460×880 | 880×490×790 | 880×490×890 | 670×460×790 | 670×460×890 |
| Carton weight | 20kg | 25kg | 25kg | 38kg | 34kg | 42kg | 42kg | 48kg | 28kg | 32kg |
| Cube (M ³) | 0.175 | 0.190 | 0.207 | 0.324 | 0.273 | 0.308 | 0.341 | 0.384 | 0.243 | 0.274 |
| 20'container capacity | | | | | | | | | | |

Digital ultrasonic cleaner series - [30L digital ultrasonic cleaner](#)



Model: PS-100A

Power: 600w

Capacity: **30L digital ultrasonic cleaner**

Function: Timer and Heater

Material: stainless steel sus304

Certifications: CE,FCC,ROHS

Features:

30L digital ultrasonic cleaner is designed by Jakansonic cleaner.here is some features as below:


- **30L ultrasonic cleaner** is the largest size in our digital series,it have a 8 gallon ultrasonic bath and the powerful transducer is up to 600w , it can rapidly remove the oil stain,grease or the stubborn dirt and make the tough cleaning jobs become easier.
- Timer :the fashionial desighed of digital LCD display showing the time setting is between 1- 30 mins and real time count- down .
- Heater functions :live temperature display and the controller allow you setting the temperature between 0 °C-80 °C .
- The body,cover and base is made in top steel .This sus 304 stainless steel have high anti-corrosion and anti-rust ,very durable.
- The most advanced Isolated-Circuit design can keep water away for extra safety.
- The professional designed of wide-diameter transducer and clean circuit make sure that the ultrasonic power is evenly distributed on the contact surface of the tank bottom.
- Drainer : Easy to drain the dirty water out,then you can clean the tank.ONLY for 10L to 30L.

30L [digital ultrasonic cleaner](#)

All of this will be a good assistant in doing your cleaning job.

Application:

- (1) Machinery Industry : antirust grease removal ; measuring cleaning ; degreasing rust mechanical parts ; engines, carburetors and automobile parts cleaning ; filters, filter drain cleaning.
- (2) surface treatment industry : degreasing rust before plating ; former ion plating cleaning ; phosphate treatment ; removing coking ,oxide and polishing paste ; metal surface activation treatment.
- (3) the instrumentation industry : high- precision parts assembly cleanliness before cleaning.
- (4) the electronics products : printed circuit board , spot welding ,other high-voltage electronic components and mechanical contacts .
- (5) the medical industry : disinfection and sterilization for utensils and other experimental medical devices .
- (6) the semiconductor industry : high cleanliness of the semiconductor wafer cleaning.
- (7) The first watches , jewelry industry : Clear sludge, dust, oxide layer , polishing paste .
- (8) chemical, biological industry : labware cleaning , descaling .
- (9) the optical industry : oil optics
- (10) Textile industry : textile spindles , spinning plates.
- (11) Petroleum and Chemical Industry : Metal filter cleaning dredge , chemical containers, exchanger cleaning.



Heater function: the temperature controller allow you to set the temperature between 30° C and 80° C.



Timer function:digital LCD display show that the cleaning time you preset. (1-30mins is available)

[Digital ultrasonic cleaner](#) control pannel

Jakansonic Cleaner Company Limited

Email:sales@cnultrasonic.com

MSN : doyle966@hotmail.com

Skape: doyle88@126.com

Tel:+86 15361401998

Web: <http://cnultrasonic.com/>

Add:Bldg A,Donghua industry park,Sanwe block,Baoan Avenue,xixiang,Bao'an Shenzhen,China