

MECHANICAL ULTRASONIC CLEANER CATALOG

Web:www.cnultrasonic.com Email:sales@cnultrasonic.com Tel:+86 15361401888



Jakansonic Cleaner Company Limited

ULTRASONIC CLEANER - [MECHANICAL SERIES](#)

[Mechanical ultrasonic cleaner](#) series is designed by Jakansonic cleaner. This new series is also popular for its high efficiency and competitive price. The professional design of wide-diameter transducer and clean circuit makes the cleaner more powerful and ensures that you can get the best cleaning result. This mechanical series includes 10 models, with tank size options ranging from 1.3L to 30L. It can satisfy your needs, for job or for life. It is also equipped with a timer, heater, stainless steel body, and ≥ 6 L drainage. This mechanical ultrasonic cleaner has a new built-in handle designed, and this is more humanizing.



PS-10 (2L)



PS-20 (3L)



PS-30 (6L)



PS-70 (20L)



PS-100 (30L)

Specifications

Modle	Ps-08	Ps-10	Ps-20	Ps-30	Ps-40	Ps-50	Ps-60	Ps-70	Ps-80	Ps-100
Frequency	42,000HZ									
Capacity	1.3L	2.0L	3.0L	6.0L	10L	14L	15L	20L	22L	30L
Material	Sus 304 stainless steel									
Power supply	AC 100-120V,50/60HZ AC 200-240V,50/60HZ									
Power	60W	80W	120W	180W	240W	300W	360W	420W	480W	600W
Timer	Mechanical timer, 1-30 mins									
Heater	Automatic Heating	Automatic Heating	100W	200W	250W	400W	400W	600W	600W	800W
Tank size (mm)	150×140×65	150x140x100	240x135x100	300x150x150	300x240x150	300×240×200	330×300×150	330×300×200	500×300×150	500×300×200
Unit size (mm)	180×170×140	180x170x180	270x170x210	330x180x270	330x270x270	330×270×320	360×330×270	360×330×320	550×330×270	550×330×320

Packing

Modle	Ps-08	Ps-10	Ps-20	Ps-30	Ps-40	Ps-50	Ps-60	Ps-70	Ps-80	Ps-100
G.W.	2.5kg	3.0kg	4.0kg	6.0kg	8.0kg	9.0kg	10.0kg	11.0kg	13.0kg	15.0kg
N.W.	1.5kg	2.0kg	3.0kg	5.0kg	7.0kg	8.0kg	9.0kg	10.0kg	12.0kg	14.0kg
Packing size(mm)	260×260×260	260×260×290	350×350×270	430x280x380	430x370x380	430×370×430	460×430×390	460×430×430	630×430×390	630×430×430

Shipment

Modle	Ps-08	Ps-10	Ps-20	Ps-30	Ps-40	Ps-50	Ps-60	Ps-70	Ps-80	Ps-100
Quantity	8pcs	8pcs	6pcs	6pcs	4pcs	4pcs	4pcs	4pcs	2pcs	2pcs
Carton size (mm)	540×540×600	540×540×650	790×380×690	860×460×820	760×460×780	760×460×880	880×490×790	880×490×890	670×460×790	670×460×890
Carton weight	20kg	25kg	25kg	38kg	34kg	42kg	42kg	48kg	28kg	32kg
Cube (M ³)	0.175	0.190	0.207	0.324	0.273	0.308	0.341	0.384	0.243	0.274
20' container capacity										

Mechanical ultrasonic cleaner series -[3L Mechanical ultrasonic cleaner](#)



Model: PS-20
 Power: 120w
 Capacity: 3 L mechanical ultrasonic cleaner
 Function: Timer and Heater
 Material: stainless steel sus304
 Certifications: CE,FCC,ROHS

Features:

3L Mechanical ultrasonic cleaner only have a 0.8 gallon ultrasonic tank,but the ultrasonic power is up to 120w , that means cavitation is very activity,it is good for your cleaning job.

3L [Mechanical ultrasonic cleaner](#)

- The Isolated-Circuit design can keep water away for extra safety.
- The professional designed of wide-diameter transducer and clean circuit make sure that the ultrasonic cleaner is very powerful and have a strong cleaning effect.
- It is also with timer and heater,the time setting is between 1- 30 mins and the temperature controller allow you setting the temperature between 0 °C-80 °C .
- The body,cover and base is made in top stainless steel. This steel have high anti-corrosion and anti-rust ,very durable .
- The cleaning tank adopt the stamping method,there is no welding in the process and make sure the cleaning tank is durable.

All of this will be a good assistant in doing your cleaning job.

Application:

Family use: watches,clock,coins , glasses , pens , CDs, shavers , combs, toothbrushes , dentures, bottle teats etc.
Repair store: auto parts, cylinder,gear,screw etc.Jewelry store:gemstone ,bracelets ,ring,earring,necklace etc.
Electronic products: circuit board .clinic:tweezer,Scalpel,dental instruments,Office use:seal,stamp.printer head etc.



The stainless steel made cover can reduce the noise and prevent the spouted liquid when the cleaning process is very acutely .If you use the heater function ,the cover can also accelerates the heating process .

The body and tank :the new developed sus 304 stainless steel material is best for anti-corrosion and make sure that the body and tank is durable



The built-in handle :It is very handy ,easy to finish the removing where the tank you want to place.

Power plug: For EU socket or US socket to suit your need.

Heater function: the temperature controller allow you to set the temperature between 30° C and 80° C.



Timer function: Mechanical-type turning knob ,easy to operate and allow you to preset the cleaning time.(1-30mins is available)

Mechanical ultrasonic cleaner control pannel

Jakansonic Cleaner Company Limited

Email: sales@cnultrasonic.com

MSN : doyle966@hotmail.com

Skape: [doyle88@126.com](skype:doyle88@126.com)

Tel: +86 15361401998

Web: <http://cnultrasonic.com/>

Add: Bldg A, Donghua industry park, Sanwe block, Baoan Avenue, xixiang, Bao'an Shenzhen, China