

ULTRASONIC CLEANER NO-HEATING SERIES CATALOG

Web:www.cnultrasonic.com Email:sales@cnultrasonic.com Tel:+86 15361401888



Jakansonic Cleaner Company Limited

ULTRASONIC CLEANER - MECHANICAL NO-HEATING SERIES

Ultrasonic cleaners No-heating series is designed by “Jakansonic cleaner” .This mechanical series include 10 models ,the tank size option is between 0.35 gallon - 8 gallon . All the Ultrasonic components adopt imported high quality accessories,durable and having a long-time life.It is with mechanical type turning knob ,1-30mins control timer. Stainless steel made for body,cover and base.A high efficiency cooling fan and drainage value is installed only for 10 L to 30 L .The ultrasonic cleaners have a new built-in handle designed and more humanizing.



PS-10T (2L)



PS-20T(3L)



PS-30T (6L)



PS-80T (20L)



PS-100T (30 L)

Specifications

Modle	Ps-08T	Ps-10T	Ps-20T	Ps-30T	Ps-40T	Ps-50T	Ps-60T	Ps-70T	Ps-80T	Ps-100T
Frequency	42,000HZ									
Capacity	1.3L	2.0L	3.0L	6.0L	10L	14L	15L	20L	22L	30L
Material	Sus 304 stainless steel									
Power supply	AC 100-120V,50/60HZ AC 200-240V,50/60HZ									
Power	60W	80W	120W	180W	240W	300W	360W	420W	480W	600W
Timer	Mechanical timer, 1-30 mins									
Heater	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Tank size (mm)	150×140×65	150x140x100	240x135x100	300x150x150	300x240x150	300×240×200	330×300×150	330×300×200	500×300×150	500×300×200
Unit size (mm)	180×170×140	180x170x180	270x170x210	330x180x270	330x270x270	330×270×320	360×330×270	360×330×320	550×330×270	550×330×320

Packing

Modle	Ps-08T	Ps-10T	Ps-20T	Ps-30T	Ps-40T	Ps-50T	Ps-60T	Ps-70T	Ps-80T	Ps-100T
G.W.	2.5kg	3.0kg	4.0kg	6.0kg	8.0kg	9.0kg	10.0kg	11.0kg	13.0kg	15.0kg
N.W.	1.5kg	2.0kg	3.0kg	5.0kg	7.0kg	8.0kg	9.0kg	10.0kg	12.0kg	14.0kg
Packing size(mm)	260×260×260	260×260×290	350×350×270	430x280x380	430x370x380	430×370×430	460×430×390	460×430×430	630×430×390	630×430×430

Shipment

Modle	Ps-08T	Ps-10T	Ps-20T	Ps-30T	Ps-40T	Ps-50T	Ps-60T	Ps-70T	Ps-80T	Ps-100T
Quantity	8pcs	8pcs	6pcs	6pcs	4pcs	4pcs	4pcs	4pcs	2pcs	2pcs

Carton size (mm)	540×540×600	540×540×650	790×380×690	860×460×820	760×460×780	760×460×880	880×490×790	880×490×890	670×460×790	670×460×890
Carton weight	20kg	25kg	25kg	38kg	34kg	42kg	42kg	48kg	28kg	32kg
Cube (M ³)	0.175	0.190	0.207	0.324	0.273	0.308	0.341	0.384	0.243	0.274
20' container capacity										

Mechanical ultrasonic cleaner series - [3L Mechanical ultrasonic cleaner](#)

Model: PS-20T

Power: 120w

Capacity: 3 L mechanical ultrasonic cleaner

Function: Timer.1-30mins

Material: stainless steel sus304

Certifications: CE,FCC,ROHS

Features:

3L ultrasonic eyeglass cleaner only have a 0.8 gallon ultrasonic tank,but the function is also powerful.

- The Isolated-Circuit design can keep water away for extra safety.
- The professional designed of wide-diameter transducer and clean circuit make sure that the ultrasonic cleaner is very powerful and have a strong cleaning effect.
- It is also with timer,the time setting is between 1- 30 mins .
- Top quality steel made for body,cover and base.This steel have high anti-corrosion and very durable.
- The cleaning tank adopt the stamping method,there is no welding in the process and make sure the cleaning tank is durable.
- Component quality:Ultrasonic components adopt imported high quality accessories

All of this will be a good assistant in doing your cleaning job.

Application:

Family use: headwear, brooch , glasses , pens , CDs, shavers , combs, toothbrushes , dentures, bottle teats etc. Repair store: auto parts, cylinder,gear,screw etc.Jewelry store:bracelets ,ring,earring,necklace etc.Electronic products: circuit board ,hardware accessories.Office use:seal,stamp.printer head etc.



3L [Mechanical ultrasonic cleaner](#)

The stainless steel made cover can reduce the noise and prevent the spouted liquid when the cleaning process is very acutely .If you use the heater function ,the cover can also accelerates the heating process .




The body and tank :the new developed sus 304 stainless steel material is best for anti-corrosion and make sure that the body and tank is durable

The built-in handle :It is very handy ,easy to finish the removing where the tank you want to place.



Power plug: For EU socket or US socket to suit your need.



Timer function: Mechanical-type turning knob ,easy to operate and allow you to preset the cleaning time.(1-30mins is available)

Mechanical ultrasonic cleaner control pannel

Jakansonic Cleaner Company Limited

Email: sales@cnultrasonic.com

MSN : doyle966@hotmail.com

Skape: doyle88@126.com

Tel: +86 15361401998

Web: <http://cnultrasonic.com/>

Add: Bldg A, Donghua industry park, Sanwe block, Baoan Avenue, xixiang, Bao'an Shenzhen, China

